



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

23 March 2021

Volcano CSD

Attn: Nick Lawson

P O Box 72

Volcano, CA 95689

RE: Routine - Coliform

Work Order: 21C2543

Enclosed are the results of analyses for samples received by the laboratory on 03/16/21 14:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeanette L. Poplin For Karen L. Lantz

Project Manager



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/23/21 13:58

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Odd Month: 0300016 Routine @ 16430 Clapboard	21C2543-01	Water	03/16/21 11:30	03/16/21 14:00



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD P O Box 72 Volcano, CA 95689	Project Manager: Nick Lawson Project: Routine - Coliform Project Number: 0300016	Reported: 03/23/21 13:58
--	--	-----------------------------

Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	ELAP#	Method	Note
Odd Month: 0300016 Routine @ 16430 Clapboard (21C2543-01)			Sample Type: Water			Sampled: 03/16/21 11:30		
Conventional Chemistry Parameters by APHA/EPA Methods								
pH	6.83 pH Units	1.68	1	AC14728	03/16/21 14:58	03/16/21 14:58	2922 SM4500-H+ B	T-14
Total Residual Chlorine	0.90 mg/L	0.10	1	AC14725	03/16/21 14:48	03/16/21 14:48	2922 SM4500-Cl F	T-14
Microbiological Parameters by APHA Standard Methods								
Total Coliforms	Absent	1	1	AC14745	03/16/21 15:00	03/17/21 15:28	2922 Colisure	
E. Coli	Absent	1	1	AC14745	03/16/21 15:00	03/17/21 15:28	2922 Colisure	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Volcano CSD
P O Box 72
Volcano, CA 95689

Project Manager: Nick Lawson
Project: Routine - Coliform
Project Number: 0300016

Reported:
03/23/21 13:58

Notes and Definitions

- A Absent
- P Present
- T-14 Residual chlorine, dissolved oxygen, sulfite, and pH must be analyzed in the field to meet the EPA specified 15 minute hold time.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



Corporate Laboratory
208 Mason Street, Ukiah CA 95482
707-468-0401 F) 707-468-5267
email: client@alpha-labs.com

ELAP Certifications
Ukiah 1551 / Dublin 2728 / Elk Grove 2022

Bay Area Laboratory
262 Rickenbacker Circle, Livermore, CA 94551
925-828-6226 F) 925-828-6309

Central Valley Laboratory
9090 Union Park Way #113, Elk Grove CA 95824
916-688-5190 F) 916-688-5192

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 21C2543 Pg _____ of _____

Report to		Invoice to (if different)		Project Information										Signature below authorizes work under terms stated on reverse side.																																																											
Company: Volcano CSD		Contact:		Project ID: Collrom - Routine										<table border="1"> <tr> <th colspan="10">Analysis Request</th> <th colspan="2">TAT</th> <th colspan="2">Temp upon Receipt °C</th> </tr> <tr> <td colspan="10" rowspan="3"> Total Number of Containers per Sample ID 500 ml CV - Chlorine Residual 7 gals </td> <td colspan="2">Standard 10 days</td> <td colspan="2">Ukiah temp:</td> </tr> <tr> <td colspan="2">Standard 5 days X .48 hours</td> <td colspan="2">Dublin temp:</td> </tr> <tr> <td colspan="2">Other: ____ days</td> <td colspan="2">Elk Grove temp: 5.0°C</td> </tr> <tr> <td colspan="10">Sample Notes or CDPH Source Numbers:</td> <td colspan="2"></td> <td colspan="2"></td> </tr> </table>										Analysis Request										TAT		Temp upon Receipt °C		Total Number of Containers per Sample ID 500 ml CV - Chlorine Residual 7 gals										Standard 10 days		Ukiah temp:		Standard 5 days X .48 hours		Dublin temp:		Other: ____ days		Elk Grove temp: 5.0°C		Sample Notes or CDPH Source Numbers:													
Analysis Request										TAT		Temp upon Receipt °C																																																													
Total Number of Containers per Sample ID 500 ml CV - Chlorine Residual 7 gals										Standard 10 days		Ukiah temp:																																																													
										Standard 5 days X .48 hours		Dublin temp:																																																													
										Other: ____ days		Elk Grove temp: 5.0°C																																																													
Sample Notes or CDPH Source Numbers:																																																																									
Attn: Nick Lawson		Email address:		Project No:																																																																					
Address: PO Box 72 Volcano, CA 95689		Address:		PO Number:																																																																					
Phone/Fax: 209-304-7628		Phone/Fax:		Internal Lab Use: 189, 189(a) & 190, 190(a)																																																																					
Email Address: nlwsn49@gmail.com																																																																									
Field Sampler - Printed Name & Signature: <i>K</i>				Container		Preservative				Matrix																																																															
Sample Identification		Sampling		40ml Vial	Poly	Glass	Sleeve	Other	HCl	HNO3	NaOH	Na2S2O3	None	Water DW	Soil	Other	Total Number of Containers per Sample ID	CV - PH	CV - Chlorine Residual	CV - PA	Courier																																																				
		Date	Time																																																																						
EVEN MONTH: 0300016					X	X							X	X			1	X	X		X																																																				
Routine es country store					X							X		X			1			X																																																					
ODD MONTH: 0300016					X	X							X	X			1	X	X		X																																																				
Routine @ 16430 Clapboard					X							X		X			1			X																																																					
Relinquished by				Received by										Date	Time	CDPH Write On EDT Transmission? Yes No																																																									
<i>K</i>				<i>[Signature]</i>										3-16-21	1400	State System Number: _____ If "Y" please enter the Source Number(s) in the column above																																																									
																Mail Hardcopy to DDW-? Yes No																																																									
																Hardcopy to DLW attn:																																																									
														Travel and Site Time:	Mileage:	Misc. Supplies:																																																									